



Standard - Seal Only Couplings
IPS Steel Pipe
Insulating One End, SBR Gaskets
Shop Coat and Epoxy Coated

PIPE		Catalog Number	M. RING Thickness & Length	BOLTS		LIST PRICE		Wt. Each Lbs.
Nom. Size Inches	O.D.			No.	Size	Shop Coat	Epoxy Coated	
						Other Gasket Conductive	Other Gasket Conductive	
3/4	1.050	E079A5	.120x5	2	1/2x7	\$43.61	\$54.41	2.5
		E079A7	.120x7	2	1/2x9	44.33	58.16	2.8
		E079A12	.120x12	2	1/2x14	54.00	71.60	3.3
1	1.315	E09A5	.120x5	2	1/2x7	56.34	66.06	2.9
		E09A7	.120x7	2	1/2x9	57.29	73.54	3.1
		E09A12	.120x12	2	1/2x14	75.51	104.33	3.6
1-1/4	1.660	E19A5	.134x5	2	1/2x7	66.22	77.13	3.5
		E19A7	.134x7	2	1/2x9	69.16	85.71	4.5
		E19A12	.134x12	2	1/2x14	109.30	124.74	6.0
1-1/2	1.900	E109A5	.134x5	2	1/2x7	75.90	81.78	4.0
		E109A7	.134x7	2	1/2x9	83.55	103.24	5.0
		E109A12	.134x12	2	1/2x14	117.68	140.30	7.0
2	2.375	E29A5	.156x5	3	5/8x9	101.26	116.33	10.0
		E29A7	.156x7	3	5/8x11	103.82	129.40	12.0
		E29A12	.156x12	3	5/8x15	142.68	177.17	13.0
3	3.500	E39A5	.156x5	4	5/8x9	117.31	141.92	14.0
		E39A7	.156x7	4	5/8x11	130.46	154.81	15.0
		E39A12	.156x12	4	5/8x15	183.71	225.87	24.0
4	4.500	E49A5	.188x5	4	5/8x9	139.03	163.76	15.0
		E49A7	.188x7	4	5/8x11	154.52	181.85	17.0
		E49A12	.188x12	4	5/8x15	235.90	277.03	24.0
6	6.625	E69B5	.250x5	6	5/8x9	237.36	280.09	25.0
		E69B7	.250x7	6	5/8x11	263.83	299.78	30.0
		E69B12	.250x12	6	5/8x15	303.03	434.19	41.0
		E69B16	.250x16	6	5/8x19	453.89	503.44	45.0
8	8.625	E89B5	.250x5	6	5/8x9	290.26	340.75	30.0
		E89B7	.250x7	6	5/8x11	313.79	374.94	35.0
		E89B16	.250x16	6	5/8x19	569.94	663.41	55.0
10	10.750	E1009B7	.250x7	8	5/8x11	532.74	610.28	49.0
		E1009B16	.250x16	8	5/8x19	797.81	888.21	67.0
12	12.750	E1209B7	.250x7	8	5/8x11	536.93	613.14	57.0
		E1209B16	.250x16	8	5/8x19	854.90	1,035.67	81.0

Larger Sizes available Upon Request.

When ordering, specify size, catalog number and gasket type.

For Epoxy Coating, add "S" to end of Catalog Number.

FOR SEALING PURPOSES ONLY. Where pipe pullout might occur, use Maxi-Grip™ Restraint Couplings or Rod and Lug Harness Device.



Standard - Seal Only
IPS Steel Reducing Couplings
Plain - Conductive - Insulating, SBR Gaskets
Shop Coat and Epoxy Coated

Shop Coat - Plain or Painted - Conductive

PIPE REDUCTION		Catalog Number	M. RING	BOLTS		LIST PRICE		Wt. Each Lbs.
Nom. Size Inches	O.D. Inches		Thickness & Length	No.	Size	Plain Gasket	Conductive Gasket	
2 to 1-1/4	2.375 to 1.660	E218A7SRC	.156X7	3	5/8X11	\$83.53	\$89.89	12.0
3 to 2	3.500 to 2.375	E328A7SRC	.156X7	4	5/8X11	109.17	118.70	17.0
4 to 2	4.500 to 2.375	E428A7SRC	.156X7	4	5/8X11	163.55	176.16	20.0
4 to 3	4.500 to 3.500	E438A7SRC	.156X7	4	5/8X11	134.43	141.96	20.0
6 to 4	6.625 to 4.500	E648A7SRC	.188X7	6	5/8X11	286.80	307.93	32.0
8 to 6	8.625 to 6.625	E868A7SRC	.250X7	6	5/8X11	343.18	375.88	50.0
10 to 8	10.750 to 8.625	E10868A10SRC	.250X10	8	5/8X13	471.77	504.81	97.0
12 to 8	12.750 to 8.625	E12868A10SRC	.250X10	8	5/8X13	539.97	570.90	110.0
12 to 10	12.750 to 10.750	E12108A10SRC	.250X10	8	5/8X13	514.23	543.68	115.0

Epoxy Coated - Plain or Conductive

PIPE REDUCTION		Catalog Number	M. RING	BOLTS		LIST PRICE		Wt. Each Lbs.
Nom. Size Inches	O.D. Inches		Thickness & Length	No.	Size	Plain Gasket	Conductive Gasket	
2 to 1-1/4	2.375 to 1.660	E218A7SSRC	.156X7	3	5/8X11	\$93.52	\$100.82	12.0
3 to 2	3.500 to 2.375	E328A7SSRC	.156X7	4	5/8X11	122.47	132.21	17.0
4 to 2	4.500 to 2.375	E428A7SSRC	.156X7	4	5/8X11	183.39	196.68	20.0
4 to 3	4.500 to 3.500	E438A7SSRC	.156X7	4	5/8X11	150.63	165.33	20.0
6 to 4	6.625 to 4.500	E648A7SSRC	.188X7	6	5/8X11	307.40	345.26	32.0
8 to 6	8.625 to 6.625	E868A7SSRC	.250X7	6	5/8X11	370.33	405.58	50.0
10 to 8	10.750 to 8.625	E10868A10SSRC	.250X10	8	5/8X13	508.92	544.79	97.0
12 to 8	12.750 to 8.625	E12868A10SSRC	.250X10	8	5/8X13	582.69	615.96	110.0
12 to 10	12.750 to 10.750	E12108A10SSRC	.250X10	8	5/8X13	554.94	586.63	115.0

When ordering, please specify size, catalog number and gasket type.

For Plain Gasket, add "P" to end of Catalog Number.

For Bonding Gasket, add "B" to end of Catalog Number.

Larger Sizes available Upon Request.

FOR SEALING PURPOSES ONLY. Where pipe pullout might occur, use Maxi-Grip™ Restraint Couplings or Rod and Lug Harness Device.



Standard - Seal Only
IPS Steel Reducing Couplings
Plain - Conductive - Insulating, SBR Gaskets
Shop Coat and Epoxy Coated

Shop Coat - Insulating on Large End

PIPE REDUCTION		Catalog Number	M. RING	BOLTS		LIST PRICE	Wt. Each Lbs.
Nom. Size Inches	O.D. Inches		Thickness & Length	No.	Size	Other Gasket Conductive	
2 to 1-1/4	2.375 to 1.660	E219A7SRC	.156X7	3	5/8X11	\$106.95	12.0
3 to 2	3.500 to 2.375	E329A7SRC	.156X7	4	5/8X11	140.96	17.0
4 to 2	4.500 to 2.375	E429A7SRC	.156X7	4	5/8X11	208.54	20.0
4 to 3	4.500 to 3.500	E439A7SRC	.156X7	4	5/8X11	279.93	20.0
6 to 4	6.625 to 4.500	E649A7SRC	.188X7	6	5/8X11	366.03	32.0
8 to 6	8.625 to 6.625	E869A7SRC	.250X7	6	5/8X11	441.48	50.0
10 to 8	10.750 to 8.625	E10869A10SRC	.250X10	8	5/8X13	606.81	97.0
12 to 8	12.750 to 8.625	E12869A10SRC	.250X10	8	5/8X13	694.69	110.0
12 to 10	12.750 to 10.750	E12109A10SRC	.250X10	8	5/8X13	661.61	115.0

Epoxy Coated - Insulating on Large End

PIPE REDUCTION		Catalog Number	M. RING	BOLTS		LIST PRICE	Wt. Each Lbs.
Nom. Size Inches	O.D. Inches		Thickness & Length	No.	Size	Other Gasket Conductive	
2 to 1-1/4	2.375 to 1.660	E219A7SSRC	.156X7	3	5/8X11	\$119.88	12.0
3 to 2	3.500 to 2.375	E329A7SSRC	.156X7	4	5/8X11	157.24	17.0
4 to 2	4.500 to 2.375	E429A7SSRC	.156X7	4	5/8X11	233.91	20.0
4 to 3	4.500 to 3.500	E439A7SSRC	.156X7	4	5/8X11	313.74	20.0
6 to 4	6.625 to 4.500	E649A7SSRC	.188X7	6	5/8X11	410.37	32.0
8 to 6	8.625 to 6.625	E869A7SSRC	.250X7	6	5/8X11	476.50	50.0
10 to 8	10.750 to 8.625	E10869A10SSRC	.250X10	8	5/8X13	654.91	97.0
12 to 8	12.750 to 8.625	E12869A10SSRC	.250X10	8	5/8X13	749.54	110.0
12 to 10	12.750 to 10.750	E12109A10SSRC	.250X10	8	5/8X13	713.79	115.0

When ordering, please specify size, catalog number and gasket type.

For Plain Gasket, add "P" to end of Catalog Number.

For Bonding Gasket, add "B" to end of Catalog Number.

Larger Sizes available Upon Request.

FOR SEALING PURPOSES ONLY Where pipe pullout might occur, use Maxi-Grip™ Restraint Couplings or Rod and Lug Harness Device.