



Standard - Seal Only Couplings
IPS Steel Pipe - High Temperature - EPDM
Shop Coat and Epoxy Coated Not For Natural Gas Application



Pipe		Catalog Number	M. Ring	Bolts		List Price		Wt. Each Lbs.
Nom. Size Inches	O.D. Inches		Thickness & Length	No.	Size	Shop Coat	Epoxy Coat	
						EPDM	EPDM	
1/2	0.840	E058A5	.120x5	2	1/2x7	P.O.A.	P.O.A.	2.0
3/4	1.050	E078A5	.120x5	2	1/2x7	P.O.A.	P.O.A.	2.0
1	1.315	E08A5	.120x5	2	1/2x7	P.O.A.	P.O.A.	2.5
1 1/4	1.660	E18A5	.134x5	2	1/2x7	P.O.A.	P.O.A.	3.5
1 1/2	1.900	E108A5	.134x5	2	1/2x7	P.O.A.	P.O.A.	4.0
2	2.375	E28A5L	.156x5	2	5/8x9	P.O.A.	P.O.A.	7.0
		E28A5	.156x5	3	5/8x9	P.O.A.	P.O.A.	10.0
		E28A7L	.156x7	2	5/8x11	P.O.A.	P.O.A.	9.0
		E28A7	.156x7	3	5/8x11	P.O.A.	P.O.A.	12.0
		E28A12L	.156x12	2	5/8x15	P.O.A.	P.O.A.	13.0
		E28A12	.156x12	3	5/8x15	P.O.A.	P.O.A.	13.0
2 1/2	2.875	E208A5	.156x5	3	5/8x9	P.O.A.	P.O.A.	9.0
		E208A7	.156x7	3	5/8x11	P.O.A.	P.O.A.	11.0
		E208A12	.156x12	3	5/8x15	P.O.A.	P.O.A.	14.0
3	3.500	E38A5L	.203x5	3	5/8x9	P.O.A.	P.O.A.	12.0
		E38A5	.203x5	4	5/8x9	P.O.A.	P.O.A.	14.0
		E38A7L	.203x7	3	5/8x11	P.O.A.	P.O.A.	14.0
		E38A7	.203x7	4	5/8x11	P.O.A.	P.O.A.	16.0
		E38A12	.203x12	4	5/8x15	P.O.A.	P.O.A.	24.0
4	4.500	E48A5	.203x5	4	5/8x9	P.O.A.	P.O.A.	15.0
		E48A7	.203x7	4	5/8x11	P.O.A.	P.O.A.	17.0
		E48A12	.203x12	4	5/8x15	P.O.A.	P.O.A.	24.0
5	5.563	E58A5	.250x5	6	5/8x9	P.O.A.	P.O.A.	25.0
		E58A7	.250x7	6	5/8x11	P.O.A.	P.O.A.	30.0
		E58A12	.250x12	6	5/8x15	P.O.A.	P.O.A.	41.0
6	6.625	E68B5	.250x5	6	5/8x9	P.O.A.	P.O.A.	25.0
		E68B7	.250x7	6	5/8x11	P.O.A.	P.O.A.	30.0
		E68B12	.250x12	6	5/8x15	P.O.A.	P.O.A.	41.0
		E68B16	.250x16	6	5/8x19	P.O.A.	P.O.A.	45.0
8	8.625	E88B5	.250x5	6	5/8x9	P.O.A.	P.O.A.	30.0
		E88B7	.250x7	6	5/8x11	P.O.A.	P.O.A.	35.0
		E88B16	.250x16	6	5/8x19	P.O.A.	P.O.A.	55.0
10	10.750	E1008B5	.250x5	8	5/8x9	P.O.A.	P.O.A.	41.0
		E1008B7	.250x7	8	5/8x11	P.O.A.	P.O.A.	49.0
		E1008B16	.250x16	8	5/8x19	P.O.A.	P.O.A.	67.0
12	12.750	E1208B5	.250x5	8	5/8x9	P.O.A.	P.O.A.	34.0
		E1208B7	.250x7	8	5/8x11	P.O.A.	P.O.A.	48.0
		E1208B16	.250x16	8	5/8x19	P.O.A.	P.O.A.	79.0

When ordering, please specify size, catalog number and type gasket.

For Epoxy Coating, add "S" to end of Catalog Number
 For EPDM Gaskets, add "E" to end of Catalog Number.

Temperature Range EPDM: 300°F.

FOR SEALING PURPOSES ONLY. Where pipe pullout might occur, use a rod and lug harness device.



Standard - Seal Only Couplings

IPS Steel Pipe

Standard Gaskets - Nitrile (Buna N) 1/2" - 1 1/2" SBR 2" - 12"

Shop Coat and Epoxy Coat



Standard Seal Only Coupling Product Designation

E68B7

P	Shop Coat
SK	Epoxy

Style

Example 1: 6" IPS Coupling with a 7" long middle ring, shopcoat with plain gaskets. **E68B7P**

Example 2: 6" IPS Coupling with a 7" long middle ring, Epoxy coated with plain gaskets. **E68B7SK**

PIPE		SHOP COAT		M. RING	BOLTS		EPOXY COAT		Wt. Each Lbs
Nom. Size Inches	O.D. Inches	Catalog Number	List Price	Thickness & Length	No.	Size	Catalog Number	List Price	
1/2	0.840	E058A5P	\$28.90	.120x5	2	1/2x7	E058A5SK	\$29.18	2.0
		E058A7P	33.79	.120x7	2	1/2x9	E058A7SK	34.14	2.5
		E058A12P	37.74	.120x12	2	1/2x14	E058A12SK	52.42	3.0
3/4	1.050	E078A5P	32.46	.120x5	2	1/2x7	E078A5SK	32.76	2.0
		E078A7P	34.57	.120x7	2	1/2x9	E078A7SK	34.89	2.5
		E078A12P	51.90	.120x12	2	1/2x14	E078A12SK	52.42	3.0
1	1.315	E08A5P	34.37	.120x5	2	1/2x7	E08A5SK	34.71	2.5
		E08A7P	41.94	.120x7	2	1/2x9	E08A7SK	42.36	3.0
		E08A12P	54.00	.120x12	2	1/2x14	E08A12SK	54.54	3.5
1 1/4	1.660	E18A5P	37.24	.134x5	2	1/2x7	E18A5SK	37.63	3.5
		E18A7P	47.61	.134x7	2	1/2x9	E18A7SK	45.05	4.0
		E18A12P	60.03	.134x12	2	1/2x14	E18A12SK	60.63	5.0
1 1/2	1.900	E108A5P	37.72	.134x5	2	1/2x7	E108A5SK	38.11	4.0
		E108A7P	44.61	.134x7	2	1/2x9	E108A7SK	45.05	5.0
		E108A12P	64.74	.134x12	2	1/2x14	E108A12SK	65.39	7.0
2	2.375	E28A5LP	54.00	.156x5	2	5/8x9	-	-	7.0
		E28A5P	60.21	.156x5	3	5/8x9	E28A5SK	60.83	10.0
		E28A7LP	63.78	.156x7	2	5/8x11	-	-	10.0
		E28A7P	63.95	.156x7	3	5/8x11	E28A7SK	64.59	12.0
		E28A12LP	80.24	.156x12	2	5/8x15	-	-	12.5
		E28A12P	81.10	.156x12	3	5/8x15	E28A12SK	81.92	13.5
		E28A24P	145.24	.156x24	3	5/8x27	E28A24SK	146.67	25.0

When ordering, please specify size, catalog number and type gasket.

Other Sizes available, contact Inside Sales.

FOR SEALING PURPOSES ONLY. Where pipe pullout might occur, use Maxi-Grip™ Restraint Couplings or Rod and Lug Harness Device.



Standard - Seal Only Couplings

IPS Steel Pipe

Standard Gaskets - Nitrile (Buna N) 1/2" - 1 1/2" SBR 2" - 12"

Shop Coat and Epoxy Coated

PIPE		SHOP COAT		M. RING	BOLTS		EPOXY COAT		Wt. Each Lbs.
Nom. Size Inches	O.D. Inches	Catalog Number	List Price	Thickness & Length	No.	Size	Catalog Number	List Price	
2 1/2	2.875	E208A5P	\$73.55	.156x5	3	5/8x9	E208A5SK	\$74.28	10.0
		E208A7P	81.76	.156x7	3	5/8x11	E208A7SK	82.57	11.0
		E208A12P	103.32	.156x12	3	5/8x15	E208A12SK	104.34	14.0
		E208A24P	171.96	.156x24	3	5/8x27	E208A24SK	173.68	24.0
3	3.500	E38A5LP	72.37	.156x5	3	5/8x9	-	-	14.0
		E38A5P	77.65	.156x5	4	5/8x9	E38A5SK	78.43	16.0
		E38A7LP	80.53	.156x7	3	5/8x11	-	-	15.0
		E38A7P	81.97	.156x7	4	5/8x11	E38A7SK	82.78	16.0
		E38A12P	110.01	.156x12	4	5/8x15	E38A12SK	111.11	26.0
		E38A24P	179.93	.156x24	4	5/8x27	E38A24SK	181.71	35.0
4	4.500	E48A5P	90.77	.188x5	4	5/8x9	E48A5SK	91.68	16.0
		E48A7P	98.44	.188x7	4	5/8x11	E48A7SK	99.41	17.0
		E48A12P	130.21	.188x12	4	5/8x15	E48A12SK	131.51	27.0
		E48A24P	219.14	.188x24	4	5/8x27	E48A24SK	221.34	38.0
5	5.563	E58A5P	134.81	.250x5	6	5/8x9	E58A5SK	136.16	25.0
		E58A7P	136.06	.250x7	6	5/8x11	E58A7SK	137.42	31.0
		E58A16P	272.78	.250x16	6	5/8x19	E58A16SK	275.51	39.0
6	6.625	E68B5P	140.46	.250x5	6	5/8x9	E68B5SK	141.86	25.0
		E68B7P	148.02	.250x7	6	5/8x11	E68B7SK	149.50	31.0
		E68B12P	234.30	.250x12	6	5/8x15	E68B12SK	236.63	39.0
		E68B16P	289.73	.250x16	6	5/8x19	E68B16SK	292.62	50.0
		E68B24P	407.58	.250x24	6	5/8x27	E68B24SK	411.66	65.0
7	7.000	E78B5P	153.21	.250x5	6	5/8x9	E78B5SK	154.74	25.0
		E78B7P	165.46	.250x7	6	5/8x11	E78B7SK	167.11	28.0
		E78B16P	303.52	.250x16	6	5/8x19	E78B16SK	306.56	45.0
8	8.625	E88B5P	187.29	.250x5	6	5/8x9	E88B5SK	189.17	34.0
		E88B7P	193.12	.250x7	6	5/8x11	E88B7SK	195.04	41.0
		E88B16P	354.26	.250x16	6	5/8x19	E88B16SK	357.80	63.0
		E88B24P	580.31	.250x24	6	5/8x27	E88B24SK	586.11	72.0
10	10.750	E1008B5P	290.12	.250x5	8	5/8x9	E1008B5SK	293.01	41.0
		E1008B7P	294.98	.250x7	8	5/8x11	E1008B7SK	297.95	50.0
		E1008B16P	472.89	.250x16	8	5/8x19	E1008B16SK	477.64	67.0
		E1008B24P	701.72	.250x24	8	5/8x27	E1008B24SK	708.73	102.0
12	12.750	E1208B5P	310.53	.250x5	8	5/8x9	E1208B5SK	313.65	47.0
		E1208B7P	312.90	.250x7	8	5/8x11	E1208B7SK	316.04	53.0
		E1208B16P	559.15	.250x16	8	5/8x19	E1208B16SK	564.74	88.0
		E1208B24P	781.49	.250x24	8	5/8x27	E1208B24SK	789.32	122.0

When ordering, please specify size and catalog number.

Other Sizes available, contact Inside Sales.

FOR SEALING PURPOSES ONLY. Where pipe pullout might occur, use Maxi-Grip™ Restraint Couplings or Rod and Lug Harness Device.



Standard - Seal Only Couplings
IPS Steel Pipe
Conductive Gaskets-SBR
Shop Coat and Epoxy Coated



Pipe		Shop Coat		M. Ring	Bolts		EPOXY COAT		Wt. Ea. Lbs.
Nom. Size Inches	O.D. Inches	Catalog Number	List Price	Thickness & Length	No.	Size	Catalog Number	List Price	
14	14	E14.08A5PN	\$404.35	1/4x5	6	5/8x8	E14.08A5SK	\$429.50	42
		E14.08A7PN	425.16	1/4x7	6	5/8x10 1/2	E14.08A7SK	442.44	50
		E14.08B7PN	542.90	3/8x7	6	5/8x 10 1/2	E14.08B7SK	547.05	77
		E14.08B10PN	671.74	3/8x10	6	5/8x13 1/2	E14.08B10SK	672.68	96
		E14.08B16PN	1,063.73	3/8x16	6	5/8x19 1/2	E14.08B16SK	1,096.58	129
		E14.08B24PN	1,350.67	3/8x24	6	5/8x27 1/2	E14.08B24SK	1,387.31	176
16	16	E16.08A7PN	505.80	1/4x7	8	5/8x10 1/2	E16.08A7SK	512.01	42
		E16.08B7PN	590.79	3/8x7	8	5/8x10 1/2	E16.08B7SK	640.86	50
		E16.08A10PN	592.65	1/4x10	8	5/8x13 1/2	E16.08A10SK	655.83	77
		E16.08B10PN	739.26	3/8x10	8	5/8x13 1/2	E16.08B10SK	803.99	96
		E16.08B16PN	1,118.11	3/8x16	8	5/8x19 1/2	E16.08B16SK	1,310.38	129
		E16.08B24PN	1,508.20	3/8x24	8	5/8x27 1/2	E16.08B24SK	1,678.00	176
18	18	E18.08A7PN	532.64	1/4x7	8	5/8x10 1/2	E18.08A7SK	541.44	69
		E18.08B7PN	625.15	3/8x7	8	5/8x10 1/2	E18.08B7SK	693.35	89
		E18.08A10PN	723.98	1/4x10	8	5/8x13 1/2	E18.08A10SK	781.49	74
		E18.08B10PN	819.88	3/8x10	8	5/8x13 1/2	E18.08B10SK	873.41	110
		E18.08B16PN	1,294.39	3/8x16	8	5/8x19 1/2	E18.08B16SK	1,411.69	149
		E18.08B24PN	1,692.01	3/8x24	8	5/8x27 1/2	E18.08B24SK	1,858.03	202
20	20	E20.08A7PN	643.44	1/4x7	10	5/8x10 1/2	E20.08A7SK	702.40	68
		E20.08B7PN	744.59	3/8x7	10	5/8x10 1/2	E20.08B7SK	796.95	89
		E20.08A10PN	791.90	1/4x10	10	5/8x13 1/2	E20.08A10SK	846.20	74
		E20.08B10PN	948.97	3/8x10	10	5/8x13 1/2	E20.08B10SK	1,007.66	110
		E20.08B16PN	1,472.79	3/8x16	10	5/8x19 1/2	E20.08B16SK	1,602.37	149
		E20.08B24PN	2,043.89	3/8x24	10	5/8x27 1/2	E20.08B24SK	2,246.32	202
22	22	E22.08A7PN	726.88	1/4x7	10	5/8x10 1/2	E22.08A7SK	788.49	83
		E22.08B7PN	994.70	3/8x7	10	5/8x10 1/2	E22.08B7SK	1,058.86	98
		E22.08A10PN	1,020.31	1/4x10	10	5/8x13 1/2	E22.08A10SK	1,074.63	111
		E22.08B10PN	1,220.74	3/8x10	10	5/8x13 1/2	E22.08B10SK	1,314.87	121
		E22.08B16PN	1,606.72	3/8x16	10	5/8x19 1/2	E22.08B16SK	1,726.46	163
		E22.08B24PN	2,374.72	3/8x24	10	5/8x27 1/2	E22.08B24SK	2,640.20	223
24	24	E24.08A7PN	821.41	1/4x7	10	5/8x10 1/2	E24.08A7SK	887.52	110
		E24.08B7PN	1,041.93	3/8x7	10	5/8x10 1/2	E24.08B7SK	1,116.39	129
		E24.08A10PN	1,079.35	1/4x10	10	5/8x13 1/2	E24.08A10SK	1,173.07	147
		E24.08B10PN	1,366.44	3/8x10	10	5/8x13 1/2	E24.08B10SK	1,480.29	161
		E24.08B16PN	1,703.20	3/8x16	10	5/8x19 1/2	E24.08B16SK	1,771.79	217
		E24.08B24PN	2,429.84	3/8x24	10	5/8x27 1/2	E24.08B24SK	2,695.95	296

FOR SEALING PURPOSES ONLY